

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	14	("error current") same measur\$6 same calibrat\$5 same zero\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:12
L6	127	current\$1 near5 (simultaneously or "at the same time") near5 limit	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:16
L8	3	(current\$1 near5 (simultaneously or "at the same time") near5 limit) same (sequence or alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:18
L10	1755	(current\$1 near6 (simultaneously or "at the same time")) same (sequence or alternate)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:18
L11	256	(current\$1 near6 (simultaneously or "at the same time")) same (sequence or alternate) same (load or overcurrent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 16:18
S16	1	("20050132109").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/14 16:42
S18	2723	bus\$2 same address\$3 same (current\$1 or voltage) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:18
S19	0	bus\$2 same address\$3 same (current\$1 or voltage) and ("710"/\$).ccls. same detect\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:54

S20	0	bus\$2 same address\$3 same (current\$1 or voltage) and ("710"/\$).ccls. same assign\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 10:54
S21	83	bus\$2 same address\$3 same (current\$1 or voltage) and ("710"/8).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:30
S22	660	bus\$2 same address\$3 same (current\$1 near8 flow\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:31
S23	39	bus\$2 same address\$3 same (current\$1 near8 flow\$3) and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 11:40
S24	1237	bus\$2 same addressing same (current\$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:06
S25	77	bus\$2 same addressing same (currents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:51
S27	2323	bus\$2 same address\$3 same (current\$1 or voltage) and ("711"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:19
S28	57	bus\$2 same address\$3 same (current\$1 or voltage) and ("711"/200).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:26

S29	47	network\$1 same addressing same (currents)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 13:34
S36	76	bus\$2 same addressing same resistance\$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 16:45
S37	1	addressing near8 device\$1 near8 resistance near8 current	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 14:34
S39	1	("4584487").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 14:56
S40	1	("4723237").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 16:33
S41	1	("20030048759").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/10/12 14:56
S47	123	"measuring current" same address\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/12 15:53
S52	31	addressing same (current\$1 near5 quiescent)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 09:41
S54	3539	(identif\$5 near8 current\$1) same address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 09:42
S55	255	(identif\$5 near8 current\$1) same address\$4 and "710"/\$.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 09:43

S57	189	flow\$3 same (identif\$5 near8 current\$1) same address\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:13
S59	369	(automat\$5 near3 address\$3) same (current\$1 or voltage\$1 or resistance)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 15:01
S61	2	addressing with resistance\$1 and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 15:11
S62	885	(quiescent near3 current\$1) and bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 15:15
S63	9	(quiescent near3 current\$1) and bus and ("710"/\$).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 10:44
S69	3950	(voltage or current\$1) near5 measur\$6 near5 calibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:38
S70	2159	voltage near5 measur\$6 near5 calibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:43
S71	62	voltage near5 measur\$6 near5 calibrat\$5 near8 difference	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:49

S76	287	("error current" or "error voltage") same measur\$6 same calibrat\$5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:54
-----	-----	---	---	----	-----	------------------